What is claimed is:

- 1. A vector system for producing infectious virus particles having a characteristic of AAV4 comprising: at least one vector comprising a nucleic acid encoding an AAV4 capsid protein.
- 2. The vector system of claim 1 comprising two vectors.
- 3. The vector system of claim 2, wherein the first vector comprises a nucleic acid encoding an AAV4 capsid protein and the second vector comprises a pair of AAV inverted terminal repeats.
- 4. The vector system of claim 2, wherein the first vector comprises a nucleic acid encoding an AAV4 Rep protein and the second vector comprises a pair of AAV inverted terminal repeats.
- 5. The vector system of claim 2, wherein the first vector comprises a nucleic acid encoding an AAV4 Rep protein and a nucleic acid encoding an AAV4 capsid protein and the second vector comprises a pair of AAV inverted terminal repeats.
- 6. The vector system according to claim 3, wherein the second vector comprises a pair of AAV2 inverted terminal repeats
- 7. The vector system according to claim 3, wherein the second vector comprises a pair of AAV3 inverted terminal repeats.
- 8. The vector system according to claim 3, wherein the second vector comprises a pair of AAV4 inverted terminal repeats.

- 9. The vector system according to claim 8, wherein the AAV4 inverted terminal repeats comprise a Rep protein binding site having four "GAGC" repeats, wherein in the fourth nucleotide in the first two "GAGC" repeats is a T rather than a C.
- 10. The vector system according to claim 9, wherein the AAV4 inverted terminal repeats comprise the nucleotide sequence set forth in SEQ ID NO:6.
- 11. The vector system according to claim 9, wherein the AAV4 inverted terminal repeats comprise the nucleotide sequence set forth in SEQ ID NO:20.
- 12. The vector system according to claim 3, wherein the second vector comprises a pair of AAV5 inverted terminal repeats.
- 13. The vector system of claim 3, wherein the first vector further comprises a nucleic acid encoding an AAV2 Rep protein.
- 14. The vector system of claim 3, wherein the first vector further comprises a nucleic acid encoding an AAV3 Rep protein.
- 15. The vector system of claim 3, wherein the first vector further comprises a nucleic acid encoding an AAV4 Rep protein.
- 16. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has the amino acid sequence set forth in SEQ ID NO:2.
- 17. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has about 95% homology with the amino acid sequence set forth in SEQ ID NO:2.
- 18. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein

has the amino acid sequence set forth in SEQ ID NO:8.

- 19. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has about 95% homology with the amino acid sequence set forth in SEQ ID NO:8.
- 20. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has the amino acid sequence set forth in SEQ ID NO:9.
- 21. The vector system of claim 15 wherein the adeno-associated virus 4 Rep protein has about 95% homology with the amino acid sequence set forth in SEQ ID NO:9
- 22. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has the amino acid sequence set forth in SEQ ID NO:10.
- 23. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has about 95% homology with the amino acid sequence set forth in SEQ ID NO:10.
- 24. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has the amino acid sequence set forth in SEQ ID NO:11.
- 25. The vector system of claim 15, wherein the adeno-associated virus 4 Rep protein has about 95% homology with the amino acid sequence set forth in SEQ ID NO:11.
- 26. The vector system of claim 3, wherein the first vector further comprises a nucleic acid encoding an AAV5 Rep protein.
- 27. The vector system according to claim 4, wherein the first vector further comprises a nucleic acid encoding an AAV2 capsid protein.

- 28. The vector system according to claim 4, wherein the first vector further comprises a nucleic acid encoding an AAV3 capsid protein.
- 29. The vector system according to claim 4, wherein the first vector further comprises a nucleic acid encoding an AAV4 capsid protein.
- 30. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has the amino acid sequence set forth in SEQ ID NO:4.
- 31. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has the amino acid sequence defined by amino acids 438-601 set forth in SEQ ID NO:4.
- 32. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has about 98% homology to the amino acid sequence set forth in SEQ ID NO:4.
- 33. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has the amino acid sequence set forth in SEQ ID NO:16.
- 34. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has about 98% homology to the amino acid sequence set forth in SEQ ID NO:16.
- 35. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has the amino acid sequence set forth in SEQ ID NO:18.
- 36. The vector system of claim 29, wherein the adeno-associated virus 4 capsid protein has about 98% homology to the amino acid sequence set forth in SEQ ID NO:18.

- 37. The vector system according to claim 4, wherein the first vector further comprises a nucleic acid encoding an AAV5 capsid protein.
- 38. A vector system according to claim 3, wherein the second vector further comprises a promoter between the inverted terminal repeats.
- 39. A vector system according to claim 38, wherein the promoter is functionally linked to an exogenous nucleic acid.
- 40. The vector system according to claim 2, wherein the system comprises a series of vectors.
- 41. A method of making a recombinant particle for delivering an exogenous nucleic acid to a cell, comprising delivering to a cell having helper function the vectors of the vector system of claim 39.
- 42. The method of claim 41, wherein the helper function is provided by a helper virus.